

The background of the advertisement is a dark industrial setting. A long, glowing orange-red metal beam is being processed, with bright sparks emanating from its end. In the foreground, two large cylindrical roller bearings are shown, their inner rings and rollers highlighted with a yellow glow. The overall scene conveys a sense of heavy manufacturing and industrial strength.

CYLINDRICAL ROLLER BEARINGS

www.rbibearing.com + 1-800-708-2128



HIGH QUALITY. PEAK PERFORMANCE.

AXPB RBtech operates a state-of-the-art manufacturing facility that has passed strict audits by some of the most demanding industrial companies worldwide. We have been able to accomplish this by adopting the latest in European manufacturing technology that previously was offered only by major, global bearing companies and investing in equipment such as Thielenhaus equipment from Germany. Japanese production and quality management systems have also been adopted as part of AXPB RBtech's overall commitment to quality. Allowing AXPB RBtech to manufacture quality products with peak performance.

AXPB RBTECH CYLINDRICAL ROLLER BEARING BENEFITS

- Clean 52100 bearing steel
- 4 cage material options
- Improved brass cage design
- C3 clearance
- High temperature and chemical resistant cages
- Standard bearing steel is heat stabilized to operate at 150°C (300°F)
- Higher temperature heat stabilization levels are offered up to 300°C (575°F)
- Increased axial load capacity
- Accommodates heavy radial loads
- Reduced roller edge loading to accommodate misalignment
- Enhanced crowning of Inner and outer ring raceways
- Extra load capacity design
- Smoother, quieter operation
- High speed operation
- Increased wear resistance



ARMOR BEARING SERIES | Bearing Technology & Protection

RBI offers all of our bearing products with our Armor Bearing Technology & Protection to reduce bearing friction and substantially increase bearing life - which means less downtime and reduced repair costs. We offer Armor Nano Technology, Armor Long Lasting Lubrication Technology & Armor Coated Protection. Armor Technologies do not alter the dimensional tolerances of the bearings. Armor Bearing Technologies & Protection benefit applications experiencing high heat temperatures, harsh contamination and clean environments sensitive to corrosion and chemical wash downs.



ARMOR Nano Technology ARMOR Long Lasting Lubrication ARMOR Coated Protection

- Significantly extend the bearing's life
- Shields the bearing against harsh environments
- Increases efficiency and production
- Provides constant and consistent lubrication
- Preventing contamination ingress & corrosion
- Dramatically reducing shutdowns & the need for maintenance
- Saves time and operation costs



AXPB-RBtech


MAIN BEARING APPLICATIONS

- Electric motors & generators
- Large ventilation fans
- Material handling equipment
- Vibration motors
- Industrial gear boxes
- Textile machinery
- Pumps & compressors
- Rolling mills
- Machine tool spindles



AXPB RBTECH CYLINDRICAL ROLLER BEARINGS

AXPB RBtech's cylindrical roller bearings are available in a variety of sizes in the common, single row configurations (shown below) and 4 cage materials Brass, PA66, L-PPS & Pressed Steel. In addition to these single row configurations, we offer cylindrical roller bearings in double row and multi-row designs. These bearings can be supplied in either full complement or caged configurations.



HOW THESE CYLINDRICAL ROLLER BEARING DESIGNS ARE USED:

Bi-Directional Positioning for Floating Applications - NU & N

The NU and N type designs allow axial displacement of the shaft with respect to the housing in both directions. These designs are normally selected as non-locating bearings.

Uni-Directional Positioning for Floating or Fixed Applications - NJ & NF

The NJ and NF designs allow axial displacement of the shaft with respect to the housing in only one direction. These designs can only locate the shaft axially in one direction.

Locked Positioning for Fixed Applications - NUP & NH

The NUP and NH type designs do not allow axial displacement of the shaft with respect to the housing in either direction. These designs can locate the shaft axially in both directions.

AXPB RBtech offers several different cage designs and materials, each developed to meet the specific needs of your application.

Cage Material	Suffix	Description
Brass	M	Machined brass, roller guided design
	MA	Machined brass, outer ring guided design
Nylon	TN	Nylon (PA66), roller guided design
Plastic	TN7	L-PPS (Linear polyphenylene sulfide), roller guided design
Steel	J	Pressed steel, roller guided design

**FOR QUOTES, SAMPLES OR
MORE INFORMATION ON RBI'S ARMOR BEARING SERIES
AND TECHNOLOGY CALL 1-800-708-2128.**

AXPB RBTECH ADVANCED TECHNOLOGY


Optimum Rib Geometry from Hard Turning

- Greater axial load carrying capacity due to optimized rib contact
- A higher level of energy efficiency due to reduced frictional torque
- Suitable for extremely high radial loads & very high speeds
- Enhanced lubrication
- Increased misalignment capabilities
- Maximum usable rib length
- Increased performance under axial loading conditions.
- Up to 1.5x increase in axial capacity

Finish Hard Turning Greater accuracy, better value.

Finish hard turning allows for machining parts in one set up resulting in more precise geometry.

- More flexibility: With a single standard tool and clamping set-up, you can machine a wide variety of products with different forms and sizes. Providing more flexibility and reduces changeovers.
- Higher productivity: Finish hard turning can remove more material per machining operation than grinding. Making hard turning 3 to 4 times faster when compared to cylindrical grinding.
- Cost savings: Multiple operations can be done in one set-up which eliminates the need for a multi-step grinding process.



Control

- Climate controlled manufacturing environment
- Precision levels of ABEC 5 and above
- Control over material and process
- 100% traceable material, components, manufacturing, assembly
- Data matrix or bar code marking on product. No mixing during handling
- Manufacturing SPC controlled at center of tolerance

Material, Forging and Heat Treatment

- Ultraclean, extremely wear resistant, low oxygen level bearing steel
- Forging and ring rolling in state-of-the-art facilities
- Salt bath hardening, along with sub zero treatment to assure residual austenite levels less than 2%



Machines

- German engineered production machinery controlled by SIEMENS Systems interfaces
- Vertical turning machinery for hard turning process
- German engineered production machinery, most notably Thielenhaus superfinish machinery
- 3-Stage ultrasonic washing equipment



The background of the advertisement is a dark industrial setting. A long, glowing orange-red metal beam is being processed on a conveyor system. In the foreground, two large cylindrical roller bearings are shown, with their inner rings and rollers highlighted in a bright yellow color. The scene is lit with dramatic, low-key lighting, emphasizing the heat of the metal and the precision of the bearings.

CYLINDRICAL ROLLER BEARINGS

www.rbibearing.com + 1-800-708-2128

